

# SAFETY DATA SHEET

Issuing Date 4-Aug-2016 Revision Date 11-May-2021 Revision Number 1

## 1. IDENTIFICATION

**GHS** product identifier

Product Name Contego Intumescent Fire Barrier Latex (Original Formula)

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Fire barrier paint

Uses advised against No information available

Supplier's details

Supplier Address
Contego International, Inc.
P.O. Box 49
1013 Arthur Street
Rochester, IN 46975

TEL: 1-317-580-0655

**Emergency telephone number** 

**Emergency Telephone** 

Number

1-800-434-6444

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Not classified

### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health

Appearance White. Physical State Liquid. Odor Mild.

## 2. HAZARDS IDENTIFICATION - Continued

#### **Precautionary Statements**

#### Prevention

None

#### **General Advice**

None

#### Storage

None

#### **Disposal**

None

### **Hazard Not Otherwise Classified (HNOC)**

Not applicable.

#### **Other information**

If product is removed by sanding or grinding may produce dust particulates.

<50% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Proprietary Formulation** 

#### 4. FIRST AID MEASURES

## **Description of necessary first-aid measures**

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. Get medical attention if symptoms occur.

**Skin Contact** Wash skin with soap and water. Remove and wash contaminated clothing before re-use.

If skin irritation occurs: Get medical advice/ attention.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing. Get medical attention if symptoms occur.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

#### Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

## **Specific Hazards Arising from the Chemical**

None known

#### **Explosion Data**

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Avoid contact with the skin and the eyes. Use personal protective equipment as required.

**Environmental Precautions** 

**Environmental Precautions** See Section 12 for additional Ecological Information.

## Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin and eyes. Use personal protective equipment as required. Do not take internally. Wash thoroughly after handling. Avoid sanding and grinding surfaces

containing dried paint film.

## Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

Incompatible Products Strong acids. Strong oxidizing agents.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical name		ACGIH TI	LV		SHA P		N	IIOSH IDLH
Titanium dioxide 13463-67-7		TWA: 10 m	g/m³	m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust		IDLH: 5000 mg/m <sup>3</sup>		
Pentaerythritol 115-77-5		TWA: 10 mg/m <sup>3</sup>				respirable	TWA: 10 TWA: 5 mg	
		(1		(vacated) TWA: 10 mg/m <sup>3</sup> total dust				
				, ,		: 5 mg/m <sup>3</sup> action		
Glass, oxide 65997-17-3		TWA: 1 fiber/cm3 fibers: length >5 µ ratio >=3:1, as det the membrane filte 400-450X magnific objective], using ph illuminatic TWA: 5 mg/m³ fraction	um, aspect ermined by er method at lation [4-mm ase-contrast on inhalable		-			
Aluminum hydroxide 21645-51-2		TWA: 1 mg/m <sup>3</sup> fraction			-			
Chemical name		Alberta	British C	Columbia		Ontario TWAE	V	Quebec
Titanium dioxide 13463-67-7		WA: 10 mg/m <sup>3</sup>	TWA: 3	0 mg/m³ 3 mg/m³		WA: 10 mg/m		TWA: 10 mg/m <sup>3</sup>
Pentaerythritol 115-77-5		WA: 10 mg/m <sup>3</sup>	TWA: 3	0 mg/m³ 3 mg/m³		WA: 10 mg/m		TWA: 10 mg/m <sup>3</sup>
Glass, oxide 65997-17-3		ΓWA: 5 mg/m <sup>3</sup> VA: 1 fibre/cm3		fibre/cm3 5 mg/m³		WA: 1 fibre/cn TWA: 5 mg/m		TWA: 1 fibre/cm3
Aluminum hydroxide 21645-51-2			TWA: 1.	.0 mg/m <sup>3</sup>		TWA: 1 mg/m		
Propylene Glycol 57-55-6						WA: 10 mg/m TWA: 50 ppm WA: 155 mg/r	ı	

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** At minimum, wear safety glasses with side shields. Goggles are preferred, especially

with spray applications

**Skin and Body Protection**Wear latex, vinyl, or nitrile gloves and a long sleeved work or jump suit such as Tyvek or

similar.

Respiratory Protection A dust mask is recommended to protect against exposure to airborne particulates or

mists. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

\_\_\_\_\_

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid. Appearance White.

Odor Mild. Odor Threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks / Method</u>

8.0 - 8.5 None known Melting Point/Range No data available None known Boiling Point/Boiling Range 100 °C / 212 °F None known Flash Point Not flammable. None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

Vapor DensityNo data availableNone known

**Specific Gravity** 1.1 - 1.3 No units, but stated at a given temperature

None known

**Water Solubility** No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** > 8,000 cTs None known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) Negligible VOC (g/l) 0.01

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Incompatible products.

### 10. STABILITY AND REACTIVITY - Continued

#### **Incompatible materials**

Strong acids. Strong oxidizing agents.

#### **Hazardous decomposition products**

Carbon oxides. Nitrogen oxides (NOx).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

InhalationNo known hazard by inhalation.Eye ContactContact with eyes may cause irritation.Skin ContactNo known hazard in contact with skin.IngestionNo known hazard by swallowing.

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
Pentaerythritol	= 19500 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 5.15 mg/L (Rat) 4 h
Melamine triamino-s-triazine	= 3161 mg/kg (Rat)	> 1 g/kg (Rabbit)	-
Aluminum hydroxide	> 5000 mg/kg (Rat)	-	-
Propylene Glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate	= 3200 mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat)6 h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization**Not expected to be a sensitizer. **Mutagenic Effects**No information available.

**Carcinogenicity** This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product. However, this product may become a dust nuisance when removed by abrasive blasting, sanding, or grinding.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	-	Group 2B	-	X
13463-67-7				
Melamine	-	Group 2B	-	X
triamino-s-triazine				
108-78-1				
Glass, oxide	-	Group 3	-	-
65997-17-3				

#### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Revision Date 11-May-2021

## 11. TOXICOLOGICAL INFORMATION - Continued

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

### Numerical measures of toxicity - Product

**Acute Toxicity** <50% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral** 4425 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Pentaerythritol	No data available	96h LC50: > 100 mg/L	No data available	48h EC50: 30477 -
		(Oryzias latipes)		37043 mg/L (Daphnia
		,		magna)
Melamine triamino-s-	96h EC50: = 940 mg/L	96h LC50: > 3000 mg/L	EC50 > 10000 mg/L 30	48h EC50: > 2000 mg/L
triazine	(Scenedesmus	(Poecilia reticulata)	min	(Daphnia magna)
	pannonicus)			
Propylene Glycol	96h EC50: = 19000 mg/L	96h LC50: 41 - 47 mL/L	-	48h EC50: > 1000 mg/L
	(Pseudokirchneriella	(Oncorhynchus mykiss)		(Daphnia magna)
	subcapitata)	96h LC50: = 51400 mg/L		-
		(Pimephales promelas)		
		96h LC50: = 51600 mg/L		
		(Oncorhynchus mykiss)		
		96h LC50: = 710 mg/L		
		(Pimephales promelas)		
2,2,4-Trimethylpentane-	72h EC50: = 18.4 mg/L	96h LC50: = 30 mg/L	No data available	No data available
1,3-diol monoisobutyrate	(Pseudokirchneriella	(Pimephales promelas)		
	subcapitata)	, i		

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

### **Component Information**

Chemical name	Partition coefficient		
Melamine triamino-s-triazine	1.14		
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate	3.47		

## Other Adverse Effects

No information available.

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate

state, regional, or local regulations for additional requirements.

**Contaminated Packaging** Do not re-use empty containers.

California Waste Codes 331

#### 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

<u>ICAO</u> Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

### 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** All ingredients are on the inventory or exempt from reporting.

**DSL** Not determined

### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

#### Revision Date 11-May-2021

## 15. REGULATORY INFORMATION - Continued

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **U.S. State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

### **U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Titanium dioxide 13463-67-7	Χ	X	X		
Pentaerythritol 115-77-5	Х	X	X		
Melamine triamino-s- triazine 108-78-1	Х	Х	Х		
Propylene Glycol 57-55-6	Х		Х		

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazard 1	Flammability	0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 1	Flammability	0	Physical Hazard 0	Personal Protection X
Revision Date	11-M	lay 2021			

First revision.

**Revision Note** 

## 16. OTHER INFORMATION - Continued

#### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

PREPARED BY:	Comprehensive Safety Compliance, Inc. (CSC) Occupational Health and Safety Consultant (412) 826-5480	VERSION NO.: 1	APPROVAL DATE: 5/11/21
MFR. CONTACT:	: Contego International, Inc. P.O. Box 49 1013 Arthur Street Rochester, IN 46975 TEL: 1-317-580-0655	SUPERSEDES SDS DAT	TED: N/A

**End of Safety Data Sheet** 

\_\_\_\_\_