

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Franklin	4A-235-B31 (32°,116HP)	4392	4392
Franklin	4A-235-B4 (26°,125HP)	4392	4392
Franklin	6A-350-C1 (28°,220HP)	6399	6399
Franklin	6A-350-C1A (28°,220HP)	6399	6399
Franklin	6A-350-C2 (28°,215HP)	6399	6399
Franklin	6A-350-C2A (28°,212HP)	6399	6399
Franklin	6A-350-D1 (28°,200HP)	6399	6399
Franklin	6A-350-D1A (28°,230HP)	6399	6399
Franklin	6A-350-D1B (28°,220HP)	6399	6399
Franklin	6A4-150-B3 (28°,150HP)	6399	6399
Franklin	6A4-150-B31 (28°,150HP)	6399	6399
Franklin	6A4-150-B4 (28°,150HP)	6399	6399
Franklin	6A4-165-B3 (32°,165HP)	6399	6399
Franklin	6A4-165-B4 (32°,165HP)	6399	6399
Franklin	6A4-165-B6 (32°,165HP)	6399	6399
Great Plains	GREAT PLAINS-Volkswagen (30°,65HP)	4316	4316
Great Plains	Type 1-1600 (25°,57HP)	4316	
Great Plains	Type 1-1835 (25°,65HP)	4316	
Great Plains	Type 1-2180 (25°,76HP)	4316	
Great Plains	Type 4-2400 (25°,85HP)	4316	
Grob	GROB-Volkswagen (30°,65HP)	4330	4330
HAPI	HAPI-Volkswagen-E (30°,65HP)	4316	4316
HAPI	HAPI-Volkswagen-G (30°,65HP)	4316	4316
Limbach	LIMBACH-Volkswagen (30°,65HP)	4330	4330
Monnett	MONNETT-Volkswagen (30°,65HP)	4316	4316
Mosler	MOSLER-Volkswagen (30°,65HP)	4316	4316
Superior Air Parts	IO-360 (25°,180HP)	4371	4371
Superior Air Parts	O-360 (25°,180HP)	4371	4371
Teledyne Continental Motors	A-65-1 (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-12 (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-12F (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-12FJ (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-12J (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-14 (30°,75HP)	4302	4302
Teledyne Continental Motors	A-65-14F (30°,75HP)	4302	4302
Teledyne Continental Motors	A-65-14FJ (30°,75HP)	4302	4302
Teledyne Continental Motors	A-65-14J (30°,75HP)	4302	4302
Teledyne Continental Motors	A-65-3 (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-6 (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-6J (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-7 (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-8 (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-8F (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-8FJ (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-8J (30°,65HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-65-9 (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-9F (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-9FJ (30°,65HP)	4302	4302
Teledyne Continental Motors	A-65-9J (30°,65HP)	4302	4302
Teledyne Continental Motors	A-75-3 (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-6 (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-6J (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-8 (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-8F (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-8FJ (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-8J (30°,75HP)	4333; 4302	4333; 4302
Teledyne Continental Motors	A-75-9 (30°,75HP)	4302	4302
Teledyne Continental Motors	A-75-9J (30°,75HP)	4302	4302
Teledyne Continental Motors	C-145-2 (26°,145HP)	6364; 664	6364; 664
Teledyne Continental Motors	C-145-2H (26°,145HP)	6364; 664	6364; 664
Teledyne Continental Motors	C-145-2HP (26°,145HP)	6364; 664	6364; 664
Teledyne Continental Motors	C-75-12 (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-12F (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-12FH (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-12FHJ (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-12FJ (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-12J (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-15 (30°,75HP)	4301	4301
Teledyne Continental Motors	C-75-15F (30°,75HP)	4301	4301

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Teledyne Continental Motors	C-75-8 (30°,75HP)	4333; 4330	4333; 4330
Teledyne Continental Motors	C-75-8F (30°,75HP)	4333; 4330	4333; 4330
Teledyne Continental Motors	C-75-8FH (30°,75HP)	4333; 4330	4333; 4330
Teledyne Continental Motors	C-75-8FHJ (30°,75HP)	4333; 4330	4333; 4330
Teledyne Continental Motors	C-75-8FJ (30°,75HP)	4333; 4330	4333; 4330
Teledyne Continental Motors	C-75-8J (30°,75HP)	4333; 4330	4333; 4330
Teledyne Continental Motors	C-85-12 (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-12F (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-12FH (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-12FHJ (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-12FJ (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-12J (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-14 (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-14F (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-15 (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-15F (30°,85HP)	4301	4301
Teledyne Continental Motors	C-85-8 (30°,85HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	C-85-8F (30°,85HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	C-85-8FHJ (30°,87HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	C-85-8FJ (30°,87HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	C-85-8J (30°,87HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	C-90-12F (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-12FH (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-12FJ (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-12FP (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-14F (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-14FH (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-14FJ (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-16F (25°,95HP)	4301	4301
Teledyne Continental Motors	C-90-8F (25°,95HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	C-90-8FJ (25°,95HP)	4333; 4330; 4302	4333; 4330; 4302
Teledyne Continental Motors	E-165-2 (26°,165HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-165-3 (26°,165HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-165-4 (26°,165HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-1 (26°,205HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-10 (26°,205HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-11 (26°,205HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-2 (26°,185HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-3 (26°,205HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-5 (26°,185HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-8 (26°,205HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-185-9 (26°,205HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-225-2 (26°,225HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-225-4 (26°,225HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-225-8 (26°,225HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	E-225-9 (26°,225HP)	6377; 6379	6377; 6379
Teledyne Continental Motors	GO-300-A (28°,175HP)	6367; 667	6367; 667
Teledyne Continental Motors	GO-300-B (28°,175HP)	6367; 667	6367; 667
Teledyne Continental Motors	GO-300-C (28°,175HP)	6367; 667	6367; 667
Teledyne Continental Motors	GO-300-D (28°,175HP)	6367; 667	6367; 667
Teledyne Continental Motors	GO-300-E (28°,175HP)	6367; 667	6367; 667
Teledyne Continental Motors	IO-240-B (26°,125HP)	4309	4310
Teledyne Continental Motors	IO-360-A (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-B (20°,180HP)	6314	6314
Teledyne Continental Motors	IO-360-C (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-CB (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-D (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-DB (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-E (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-ES (24°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-G (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-GB (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-H (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-HB (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-J (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-JB (20°,210HP)	6314	6314
Teledyne Continental Motors	IO-360-K (20°,195HP)	6314	6314
Teledyne Continental Motors	IO-360-KB (20°,195HP)	6314	6314
Teledyne Continental Motors	IO-470-A (24°,240HP)	6310; 6380; 6362; 6382; 680; 662	6310; 6380; 6362; 6382; 680; 662

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Teledyne Continental Motors	TSIO-550-C (24°,310HP)	6320	6320
Teledyne Continental Motors	TSIO-550-E (24°,350HP)	6320	6320
Textron-Lycoming	AEIO-320-D1B (25°,160HP)	4373	4353; 4370; 4373
Textron-Lycoming	AEIO-320-D2B (25°,160HP)	4373	4353; 4370; 4373
Textron-Lycoming	AEIO-320-E1A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	AEIO-320-E1B (25°,150HP)	4371	4370; 4371
Textron-Lycoming	AEIO-320-E2A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	AEIO-320-E2B (25°,150HP)	4371	4370; 4371
Textron-Lycoming	AEIO-360-A1A (20°,200HP)	4345; 4347	4370
Textron-Lycoming	AEIO-360-A1A (25°,200HP)	4345; 4347	4370
Textron-Lycoming	AEIO-360-A1B (20°,200HP)	4372	4370; 4372
Textron-Lycoming	AEIO-360-A1B (25°,200HP)	4373	4370; 4373
Textron-Lycoming	AEIO-360-A1B6 (20°,200HP)	4372	4370; 4372
Textron-Lycoming	AEIO-360-A1B6 (25°,200HP)	4373	4370; 4373
Textron-Lycoming	AEIO-360-A1D (20°,200HP)	4372	4370; 4372
Textron-Lycoming	AEIO-360-A1D (25°,200HP)	4373	4370; 4373
Textron-Lycoming	AEIO-360-A1E (20°,200HP)	4372	4370; 4372
Textron-Lycoming	AEIO-360-A1E (25°,200HP)	4373	4370; 4373
Textron-Lycoming	AEIO-360-A2B (20°,200HP)	4371	4370; 4371
Textron-Lycoming	AEIO-360-B1B (25°,180HP)	4347	4370
Textron-Lycoming	AEIO-360-B1F (25°,180HP)	4373	4373
Textron-Lycoming	AEIO-360-B1F6 (25°,180HP)	4371	4370; 4371
Textron-Lycoming	AEIO-360-B1G6 (25°,180HP)	4371	4371
Textron-Lycoming	AEIO-360-B2F (25°,180HP)	4373	4373
Textron-Lycoming	AEIO-360-B2F6 (25°,180HP)	4371	4370; 4371
Textron-Lycoming	AEIO-360-B4A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	AEIO-360-H1A (25°,180HP)	4371	4370; 4371
Textron-Lycoming	AEIO-540-D4A5 (25°,260HP)	6393	6350
Textron-Lycoming	AEIO-540-D4B5 (25°,260HP)	6351; 6393	6371; 6350; 6351
Textron-Lycoming	AEIO-540-L1B5 (20°,300HP)	6393; 6351	6350
Textron-Lycoming	AIO-320-A1B (25°,160HP)	4373	4370; 4373
Textron-Lycoming	AIO-320-A2B (25°,160HP)	4371	4370; 4371
Textron-Lycoming	AIO-320-B1B (25°,160HP)	4373	4370; 4373
Textron-Lycoming	AIO-320-C1B (25°,160HP)	4373	4370; 4373
Textron-Lycoming	AIO-360-A1A (20°,200HP)	4372	4372
Textron-Lycoming	AIO-360-A1B (20°,200HP)	4372	4370; 4372
Textron-Lycoming	AIO-360-A2B (20°,200HP)	4371	4370; 4371
Textron-Lycoming	AIO-360-B1B (20°,200HP)	4372	4370; 4372
Textron-Lycoming	AIO-360-B1B (25°,200HP)	4373	4370; 4373
Textron-Lycoming	HIO-360-D1A (20°,190HP)	4345	4345
Textron-Lycoming	HO-360-C1A (25°,180HP)	4347	4370
Textron-Lycoming	IO-320-B1A (25°,160HP)	4373	4373
Textron-Lycoming	IO-320-B1B (25°,160HP)	4371	4370; 4371
Textron-Lycoming	IO-320-B1C (25°,160HP)	4373	4342; 4370; 4373
Textron-Lycoming	IO-320-B1D (25°,160HP)	4347	4370
Textron-Lycoming	IO-320-B2A (25°,160HP)	4373	4370; 4373
Textron-Lycoming	IO-320-C1A - 1/2" (25°,160HP)	4373	4354; 4373
Textron-Lycoming	IO-320-C1A - 13/16" (25°,160HP)	4373	4354; 4373
Textron-Lycoming	IO-320-D1A (25°,160HP)	4373	4370; 4373
Textron-Lycoming	IO-320-D1B (25°,160HP)	4373	4370; 4373
Textron-Lycoming	IO-320-E1A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	IO-320-E1B (25°,150HP)	4371	4370; 4371
Textron-Lycoming	IO-320-E2A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	IO-320-E2B (25°,150HP)	4371	4370; 4371
Textron-Lycoming	IO-320-F1A (25°,160HP)	4373	4373
Textron-Lycoming	IO-360-A1A (25°,200HP)	4347	4370
Textron-Lycoming	IO-360-A1B (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-A1B (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-A1B6 (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-A1B6 (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-A1C (20°,200HP)	4345	4370
Textron-Lycoming	IO-360-A1D (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-A1D6 (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-A2A (20°,200HP)	4345	4342; 4370
Textron-Lycoming	IO-360-A2B (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-A2B (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-A2C (20°,200HP)	4345	4370
Textron-Lycoming	IO-360-B1B (25°,180HP)	4347	4370
Textron-Lycoming	IO-360-B1D (25°,180HP)	4347	4342

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Textron-Lycoming	IO-360-B1E (25°,180HP)	4373	4370; 4373
Textron-Lycoming	IO-360-B1F (25°,180HP)	4373	4373
Textron-Lycoming	IO-360-B1F6 (25°,180HP)	4371	4370; 4371
Textron-Lycoming	IO-360-B2E-nd (25°,180HP)	4373	4373
Textron-Lycoming	IO-360-B2E-wd (25°,180HP)	4373	4373
Textron-Lycoming	IO-360-B2F (25°,180HP)	4373	4373
Textron-Lycoming	IO-360-B2F6 (25°,180HP)	4373	4373
Textron-Lycoming	IO-360-B4A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	IO-360-C1A (20°,200HP)	4345	4370
Textron-Lycoming	IO-360-C1B (20°,200HP)	4345	4370
Textron-Lycoming	IO-360-C1C (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-C1C6 (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-C1C6 (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-C1D6 (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-C1D6 (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-C1E6 (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-C1E6 (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-C1F (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-360-C1F (25°,200HP)	4373	4370; 4373
Textron-Lycoming	IO-360-D1A (20°,200HP)	4345	4370
Textron-Lycoming	IO-360-E1A (25°,180HP)	4347	4370
Textron-Lycoming	IO-360-F1A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	IO-360-K2A (20°,200HP)	4372	4370; 4372
Textron-Lycoming	IO-540-A1A5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-AA1A5 (20°,270HP)	6393	6350
Textron-Lycoming	IO-540-AA1B5 (20°,270HP)	6361	6360
Textron-Lycoming	IO-540-AB1A5 (23°,230HP)	6351	6351
Textron-Lycoming	IO-540-AC1A5 (20°,300HP)	6351	6351
Textron-Lycoming	IO-540-B1A5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-B1C5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-C1B5 (25°,250HP)	6393	6350
Textron-Lycoming	IO-540-C1C5 (25°,250HP)	6393	6350
Textron-Lycoming	IO-540-C2C (25°,250HP)	6355	6350; 6355
Textron-Lycoming	IO-540-C4B5 (25°,250HP)	6393	6350
Textron-Lycoming	IO-540-C4C5 (25°,250HP)	6393	6350
Textron-Lycoming	IO-540-D4A5 (25°,260HP)	6393	6350
Textron-Lycoming	IO-540-D4B5 (25°,260HP)	6351	6350; 6351
Textron-Lycoming	IO-540-D4C5 (25°,260HP)	6393	6350
Textron-Lycoming	IO-540-E1A5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-E1B5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-G1A5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-G1B5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-G1C5 (20°,290HP)	6351	6350; 6351
Textron-Lycoming	IO-540-G1D5 (20°,290HP)	6351	6371
Textron-Lycoming	IO-540-G1E5 (20°,290HP)	6351; 6393	6371; 6350
Textron-Lycoming	IO-540-G1F5 (20°,290HP)	6351	6351
Textron-Lycoming	IO-540-J4A5 (25°,250HP)	6393	6350
Textron-Lycoming	IO-540-K1A5 (20°,300HP)	6351	6350; 6351
Textron-Lycoming	IO-540-K1B5 (20°,300HP)	6351	6371; 6351; 6350
Textron-Lycoming	IO-540-K1C5 (20°,300HP)	6351; 6393	6350; 6351
Textron-Lycoming	IO-540-K1D5 (20°,300HP)	6393	6350
Textron-Lycoming	IO-540-K1E5 (20°,300HP)	6351	6351
Textron-Lycoming	IO-540-K1F5 (20°,300HP)	6393	6350
Textron-Lycoming	IO-540-K1G5 (20°,300HP)	6351	6350; 6351
Textron-Lycoming	IO-540-K1H5 (20°,300HP)	6351	6350; 6351
Textron-Lycoming	IO-540-K1J5 (20°,300HP)	6393	6350
Textron-Lycoming	IO-540-K1K5 (20°,300HP)	6351	6350; 6351
Textron-Lycoming	IO-540-L1A5 (20°,300HP)	6351	6350; 6351
Textron-Lycoming	IO-540-L1C5 (20°,300HP)	6351	6350; 6351
Textron-Lycoming	IO-540-M1A5 (20°,300HP)	6393	6350
Textron-Lycoming	IO-540-N1A5 (25°,260HP)	6393	6350
Textron-Lycoming	IO-540-P1A5 (20°,290HP)	6393	6350
Textron-Lycoming	IO-540-R1A5 (25°,260HP)	6393	6350
Textron-Lycoming	IO-540-S1A5 (20°,300HP)	6393	6350; 6371
Textron-Lycoming	LIO-320-B1A (25°,160HP)	4330	4330
Textron-Lycoming	LIO-320-C1A (25°,160HP)	4330	4330
Textron-Lycoming	LIO-360-C1E6 (20°,200HP)	4330	4302
Textron-Lycoming	LIO-360-C1E6 (25°,200HP)	4374	4302
Textron-Lycoming	LTIO-540-J2B (20°,350HP)	6394	6340

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Textron-Lycoming	O-235-C1 (25°,115HP)	4373	4370; 4373
Textron-Lycoming	O-235-C1B (25°,115HP)	4347	4370
Textron-Lycoming	O-235-C1C (25°,115HP)	4371	4370; 4371
Textron-Lycoming	O-235-C2A (25°,115HP)	4373	4370; 4373
Textron-Lycoming	O-235-C2B (25°,115HP)	4373	4370; 4373
Textron-Lycoming	O-235-C2C (25°,115HP)	4371	4370; 4371
Textron-Lycoming	O-235-E1 (25°,115HP)	4371	4370; 4371
Textron-Lycoming	O-235-E2A (25°,115HP)	4373	4370; 4373
Textron-Lycoming	O-235-E2B (25°,115HP)	4371	4370; 4371
Textron-Lycoming	O-235-F1 (25°,125HP)	4371	4370; 4371
Textron-Lycoming	O-235-F1B (25°,125HP)	4347	4370
Textron-Lycoming	O-235-F2A (25°,125HP)	4373	4370; 4373
Textron-Lycoming	O-235-F2B (25°,125HP)	4373	4370; 4373
Textron-Lycoming	O-235-G1 (25°,125HP)	4373	4370; 4373
Textron-Lycoming	O-235-G2A (25°,125HP)	4373	4370; 4373
Textron-Lycoming	O-235-G2B (25°,125HP)	4371	4370; 4371
Textron-Lycoming	O-235-H2C (25°,115HP)	4371	4370; 4371
Textron-Lycoming	O-235-J2A (25°,125HP)	4373	4370; 4373
Textron-Lycoming	O-235-J2B (25°,125HP)	4371	4370; 4371
Textron-Lycoming	O-235-K2A (20°,118HP)	4372	4370; 4372
Textron-Lycoming	O-235-K2B (20°,118HP)	4372	4370; 4372
Textron-Lycoming	O-235-K2C (20°,118HP)	4372	4370; 4372
Textron-Lycoming	O-235-L2A (20°,118HP)	4372	4370; 4372
Textron-Lycoming	O-235-L2C (20°,118HP)	4381; 4372	4370; 4381; 4372
Textron-Lycoming	O-235-M1 (20°,118HP)	4372	4370; 4372
Textron-Lycoming	O-235-M2C (20°,118HP)	4372	4370; 4372
Textron-Lycoming	O-235-N2A (20°,116HP)	4372	4370; 4372
Textron-Lycoming	O-235-N2C (20°,116HP)	4381; 4372; 4371	4381; 4370; 4372; 4371
Textron-Lycoming	O-235-P1 (20°,116HP)	4372	4370; 4372
Textron-Lycoming	O-235-P2A (20°,116HP)	4372	4342
Textron-Lycoming	O-290-D (20°,125HP)	4373	4370; 4373
Textron-Lycoming	O-290-D2 (18°,135HP)	4372	4370; 4372
Textron-Lycoming	O-320-A1A (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-A1B (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-A2A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-A2B (25°,150HP)	4373	4370; 4373; 4342
Textron-Lycoming	O-320-A2C (25°,150HP)	4347	4370
Textron-Lycoming	O-320-A2D (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-A3A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-A3B (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-A3C (25°,150HP)	4347	4370
Textron-Lycoming	O-320-B1A (25°,160HP)	4347	4370; 4347
Textron-Lycoming	O-320-B1B (25°,160HP)	4373	4370; 4347
Textron-Lycoming	O-320-B2A (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-B2B (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-B2C (25°,160HP)	4347	4342
Textron-Lycoming	O-320-B2D (25°,160HP)	4347	4370
Textron-Lycoming	O-320-B3A (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-B3B (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-B3C (25°,160HP)	4347	4370
Textron-Lycoming	O-320-C1A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-C1B (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-C2A (25°,150HP)	4373	4370
Textron-Lycoming	O-320-C2B (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-C2C (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-C3A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-C3B (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-C3C (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-D1A (25°,150HP)	4373	4370; 4373; 4342
Textron-Lycoming	O-320-D1A (25°,160HP)	4373	4370; 4373; 4342
Textron-Lycoming	O-320-D1C (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-D1C (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-D1D (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-D1D (25°,160HP)	4371	4370; 4371
Textron-Lycoming	O-320-D1F (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-D1F (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2A (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2B (25°,150HP)	4347	4370

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Textron-Lycoming	O-320-D2B (25°,160HP)	4347	4370
Textron-Lycoming	O-320-D2C (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2C (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2F (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2F (25°,160HP)	4373	4370; 4373
Textron-Lycoming	O-320-D2G (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-D2G (25°,160HP)	4371	4370; 4371
Textron-Lycoming	O-320-D2H (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-D2H (25°,160HP)	4371	4370; 4371
Textron-Lycoming	O-320-D2J (25°,150HP)	4371	4371
Textron-Lycoming	O-320-D2J (25°,160HP)	4371	4371
Textron-Lycoming	O-320-D3G (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-D3G (25°,160HP)	4371	4370; 4371
Textron-Lycoming	O-320-E1A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E1C (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E1F (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E1J (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-E2A (25°,140HP)	4373	4370; 4373
Textron-Lycoming	O-320-E2A (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E2B (25°,150HP)	4347	4370
Textron-Lycoming	O-320-E2C (25°,140HP)	4373	4370; 4373
Textron-Lycoming	O-320-E2C (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E2D (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-E2F (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E2G (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-E2H (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-320-E3D (25°,150HP)	4371	4370; 4371
Textron-Lycoming	O-320-E3H (25°,150HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1A-nd (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1A-wd (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1D (25°,180HP)	4347	4370
Textron-Lycoming	O-360-A1F (25°,180HP)	4373	4353
Textron-Lycoming	O-360-A1F6 (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1G (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1G6 (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1H (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A1H6 (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A2A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A2D (25°,180HP)	4347	4342; 4370
Textron-Lycoming	O-360-A2F (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A2G (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A2H (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-A3A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A4A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A4G (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A4J (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-A4K (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-A4M (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-A4N (25°,180HP)	4371	4371
Textron-Lycoming	O-360-B1A (25°,168HP)	4371	4370; 4371
Textron-Lycoming	O-360-B2A (25°,168HP)	4373	4370; 4373
Textron-Lycoming	O-360-C1A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-C1C (25°,180HP)	4347	4370
Textron-Lycoming	O-360-C1E (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-C1F (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-C1G (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-C2A (25°,180HP)	4373	4370; 4373
Textron-Lycoming	O-360-C2B (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-C2C (25°,180HP)	4347	4370
Textron-Lycoming	O-360-C2E (25°,180HP)	4371	4370; 4371
Textron-Lycoming	O-360-D1A (25°,168HP)	4371	4370; 4371
Textron-Lycoming	O-360-D2A (25°,168HP)	4373	4370; 4373
Textron-Lycoming	O-360-F1A6 (25°,180HP)	4371	4371
Textron-Lycoming	O-360-G1A6 (25°,180HP)	4371	4371
Textron-Lycoming	O-540-A1A (25°,250HP)	6355	6350; 6355
Textron-Lycoming	O-540-A1A5 (25°,250HP)	6355	6350; 6355
Textron-Lycoming	O-540-A1B5 (25°,250HP)	6355; 6393	6355; 6350
Textron-Lycoming	O-540-A1C5 (25°,250HP)	6355	6355
Textron-Lycoming	O-540-A1D (25°,250HP)	6393	6350

Magneto Application Report

EngineMake	Engine Engine - Model (Degree°, HP)	LEFT MAGNETO MODEL	RIGHT MAGNETO MODEL
Textron-Lycoming	O-540-A1D5 (25°,250HP)	6393; 6355	6350; 6355
Textron-Lycoming	O-540-A2B (25°,250HP)	6355	6350; 6355
Textron-Lycoming	O-540-A3D5 (25°,250HP)	6393	6350
Textron-Lycoming	O-540-A4A5 (25°,250HP)	6355	6350; 6355
Textron-Lycoming	O-540-A4B5 (25°,250HP)	6355	6355
Textron-Lycoming	O-540-A4D5 (25°,250HP)	6393	6350
Textron-Lycoming	O-540-B1A5 (25°,235HP)	6393	6350
Textron-Lycoming	O-540-B2A5 (25°,235HP)	6393	6350
Textron-Lycoming	O-540-B2B5 (25°,235HP)	6355	6350; 6355
Textron-Lycoming	O-540-B2B5-wd (25° ,235HP)	6355	6350; 6355
Textron-Lycoming	O-540-B2C5 (25°,235HP)	6351	6350; 6351
Textron-Lycoming	O-540-B2C5-wd (25°,235HP)	6355	6350; 6355
Textron-Lycoming	O-540-B4B5 (25°,235HP)	6355	6350; 6355
Textron-Lycoming	O-540-B4B5-wd (25°,235HP)	6355	6350; 6355
Textron-Lycoming	O-540-D1A5 (25°,250HP)	6393	6350
Textron-Lycoming	O-540-E4A5 (25°,260HP)	6393	6350
Textron-Lycoming	O-540-E4B5 (25°,260HP)	6355	6350; 6355
Textron-Lycoming	O-540-E4B5-wd (25°,260HP)	6355	6350; 6355
Textron-Lycoming	O-540-E4C5 (25°,260HP)	6351	6371; 6350; 6351
Textron-Lycoming	O-540-F1B5 (25°,260HP)	6393	6390
Textron-Lycoming	O-540-G1A5 (25°,260HP)	6351	6350; 6351
Textron-Lycoming	O-540-G1A5-wd (25°,260HP)	6351	6350; 6351

Magneto Application Report

Notes
4
4
4
4
4
4
5
5
5
5
5
5
5
5
5
5
5
5
5
4
4
4
4
4
5
5
5
5
5
5
5
5
5
5
4
4
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
8
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7
7

Magneto Application Report

Notes