

Revision Number: 005.0 Issue date: 08/15/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BONDERITE M-CR 1001 AERO

**Product type:** Conversion coating Restriction of Use: None identified

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

**IDH number:** 594417

Region: United States

Contact information: Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: MAY CAUSE AN ALLERGIC SKIN REACTION.

MAY CAUSE CANCER.

| HAZARD CLASS       | HAZARD CATEGORY |  |
|--------------------|-----------------|--|
| SKIN SENSITIZATION | 1               |  |
| CARCINOGENICITY    | 1A              |  |

#### PICTOGRAM(S)



#### **Precautionary Statements**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Avoid breathing vapors, mist, or spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Use personal protective

equipment as required.

Response: IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical

attention. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing

before reuse.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

## See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)  | CAS Number  | Percentage* |
|-------------------------|-------------|-------------|
| Chromic acid            | 7738-94-5   | 0.1 - 1     |
| Zirconium fluoride salt | Proprietary | 0.1 - 1     |

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

**Inhalation:** If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist. If inhaled,

immediately remove the affected person to fresh air.

Skin contact: Remove contaminated clothing and footwear. Rinse with large amounts of

running water. GET MEDICAL ATTENTION IMMEDIATELY! If iced 0.13% benzalkonium chloride (Zephiran) solution or 2.5% calcium gluconate gel are available, the rinsing may be limited to 5 minutes, with the soaks or gel applied as soon as the rinsing is stopped. If benzalkonium chloride or calcium

gluconate gel is not available, rinsing must continue until medical treatment is

provided.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

**Ingestion:** Get medical attention. Do not induce vomiting. Give one to two glasses of

water or milk. Never give anything by mouth to a victim who is unconscious or

is having convulsions.

Symptoms: See Section 11.

Notes to physician: Treatment of hypocalcemia associated with corrosive fluoride compounds

exposure may be corrected by intravenous calcium gluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous

magnesium sulfate.

## 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: This product is an aqueous mixture which will not burn. If evaporated to

dryness, solid residue is an oxidizing agent and may cause spontaneous

ignition of combustible materials.

Hazardous combustion products: Irritating and toxic gases or fumes may be released during a fire.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Block any potential routes

to water systems.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists of

this product. Wash thoroughly after handling. For industrial use only. Clothing or other material wet with this product and allowed to dry may become

flammable.

Storage: Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials. Protect from freezing.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)  | ACGIH TLV  | OSHA PEL   | AIHA WEEL | OTHER |
|-------------------------|--|--|-----------|-------|
| Chromic acid            | 0.05 mg/m3 TWA (as<br>Cr)  | 0.005 mg/m3 TWA<br>0.0025 mg/m3<br>OSHA_ACT<br>0.1 mg/m3 Ceiling         | None      | None  |
| Zirconium fluoride salt | 5 mg/m3 TWA (as Zr)<br>10 mg/m3 STEL (as<br>Zr)<br>2.5 mg/m3 TWA (as<br>F) | 5 mg/m3 PEL (as Zr)<br>2.5 mg/m3 PEL (as<br>F)<br>2.5 mg/m3 TWA<br>Dust. | None      | None  |

Engineering controls: Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

**Eye/face protection:** Wear chemical goggles; face shield (if splashing is possible).

**Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:LiquidColor:OrangeOdor:NoneOdor threshold:Not available.nH:2 - 3

pH: 2 - 3 Vapor pressure: Not applicable Boiling point/range: 212 °F (100°C) Melting point/ range: Not available. Specific gravity: 1.00 - 1.01 Vapor density: Not applicable Flash point: Not applicable Flammable/Explosive limits - lower: Not applicable Flammable/Explosive limits - upper: Not applicable Autoignition temperature: Not applicable **Evaporation rate:** Not available. Solubility in water: Complete Partition coefficient (n-octanol/water): Not available. **VOC** content: Not applicable Viscosity: Not available.

**Decomposition temperature:** 

IDH number: 594417 Product name: BONDERITE M-CR 1001 AERO

Not available.

# 10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: Will not occur.

Hazardous decomposition

products:

May liberate hydrogen fluoride.

Incompatible materials: Avoid contact with organic materials, oils, greases, and any oxidizable materials. This product

may react with strong alkalies.

Reactivity: Not available.

**Conditions to avoid:** Store away from incompatible materials.

# 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

## **Potential Health Effects/Symptoms**

Inhalation: Mists, vapors or liquid may cause severe irritation or burns. Prolonged or repeated breathing

may cause ulceration of nasal membranes.

Skin contact: This product may cause irritation to the skin. Product contains chromium, which may cause an

allergic skin sensitization reaction. Liquid or vapor can cause fluoride-type irritation or burns which may not be immediately painful or visible. A component in this product may be absorbed

through the skin in harmful amounts.

**Eye contact:** This product may be severely irritating to the eyes.

**Ingestion:** May be harmful if swallowed.

| Hazardous Component(s)  | LD50s and LC50s | Immediate and Delayed Health Effects   |
|-------------------------|-----------------|--|
| Chromic acid            | None            | Allergen, Blood, Carcinogen, Central nervous system, Corrosive, Developmental, Eyes, Gastrointestinal, Irritant, Kidney, Liver, Mutagen, Reproductive, Respiratory       |
| Zirconium fluoride salt | None            | Allergen, Blood, Cardiac, Central nervous system, Corrosive, Gastrointestinal tract, Irritant, Kidney, Lung, Metabolic, Muscle, Teeth, Less weight gain and food intake. |

| Hazardous Component(s)  | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-------------------------|----------------|-----------------|--|
| Chromic acid            | No             | No              | Yes                                      |
| Zirconium fluoride salt | No             | No              | No                                       |

# 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:**Dispose of according to Federal, State and local governmental regulations.

**Hazardous waste number:** This product contains chromium which is a hazardous waste (D007).

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** RQ, Environmentally hazardous substances, liquid, n.o.s.

Hazard class or division:

Identification number:

Packing group:

DOT Hazardous Substance(s):

9

UN 3082

III

Chromic acid

International Air Transportation (ICAO/IATA)

**Proper shipping name:** Environmentally hazardous substance, liquid, n.o.s.

Hazard class or division: 9
Identification number: UN 3082
Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard class or division: 9
Identification number: UN 3082
Packing group: III

Additional information: IMDG-Code: Segregation group 1- Acids

# 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: Chromic acid (CAS# 7738-94-5).

CERCLA/SARA Section 302 EHS: None above reporting de minimis CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Chromic acid (CAS# 7738-94-5).

CERCLA Reportable quantity: Chromic acid (CAS# 7738-94-5) 10 lbs. (4.54 kg)

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

# 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: Updated Contact Information in Section 1.

Prepared by: John Davies, Manager, Regulatory Affairs

**Issue date:** 08/15/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 594417 Product name: BONDERITE M-CR 1001 AERO